



Beko B3WFT58220X lavadora Carga frontal 8 kg 1200 RPM Acero inoxidable

Marca : Beko

Código del producto: B3WFT58220X

Nombre del producto : B3WFT58220X

8kg, 1200 rpm, 74 dBA, SteamCure, Bluetooth, Programas 15, 84x60x58cm, Acero Inox
Beko B3WFT58220X. Tipo de carga: Carga frontal. Capacidad nominal: 8 kg, Clase de secado por giro: B, Nivel de ruido (spin): 74 dB, Máxima velocidad de centrifugado: 1200 RPM. Color del producto: Acero inoxidable. Ancho: 600 mm, Profundidad: 580 mm, Altura: 840 mm. Clase de eficiencia de energía: C



Diseño		Desempeño	
Tipo de instalación *	Independiente	Funciones de aplicaciones	Programas adicionales descargables
Tipo de carga *	Carga frontal	Ergonomía	
Color del producto *	Acero inoxidable	Bloqueo para niños *	✓
Pantalla incorporada *	✓	Drum Clean	✓
Tipo de control *	Giratorio, Tocar	Función de detergente en polvo	✓
Bisagra para puerta *	Izquierda	Recipiente para detergente líquido	✓
Apertura de la puerta	Apertura lateral	Características especiales	
Color de la puerta	Negro, Transparente	Tecnologías Beko (cuidado de la ropa)	Aquawave, OptiSense, SteamCure
Tipo de puerta	Vidrio templado	Control de energía	
Color del borde	Negro	Escala de eficiencia energética	De la A a la G
Material del tambor	Acero inoxidable	Clase de eficiencia de energía *	C
Color del picaporte	Negro	Consumo de energía por 100 ciclos *	62 kWh
Tipo de tambor	Aquawave	Consumo de agua por ciclo de lavado *	47 L
Ventana de visión	✓	Voltaje de entrada AC	230 V
Desempeño		Frecuencia de entrada AC	50 Hz
Capacidad nominal *	8 kg	Peso y dimensiones	
Máxima velocidad de centrifugado *	1200 RPM	Ancho	600 mm
Clase de secado por giro *	B	Profundidad	580 mm
Número de programas de lavado *	15	Altura	840 mm
Clase de emisión de ruido *	B	Peso	67 kg
Nivel de ruido (spin) *	74 dB		
Tiempo del ciclo (máx.)	238 min		

Desempeño		Empaquetado	
Programas de lavado *	Algodón, Cuidados diarios, Delicado/seda, Eco, Mano, Mano/lana, Higiene/Contra alergias, Vaquero/denim, Lencería, Mix, Prelavado, Rápido, Rápido 14 min, Centrifugado/drenaje, Deporte, Vapor, Sintético, Toalla	Ancho del paquete	650 mm
		Profundidad del paquete	600 mm
		Altura del paquete	885 mm
		Peso del paquete	68 kg
Protección contra el reflujo *	✓		
Control automático de carga *	✓		
AquaStop función *	✓		
Opción quitamanchas	✓		
Bluetooth	✓		
Aplicaciones de control compatibles	HomeWhiz		



8690842483561

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-APR-2024. Prints or copies of Information are only valid on the printed Publication date