



Candy RapidÓ CI0C7SB0FA Completamente integrado 10 cubiertos C

Marca : Candy

Familia de productos: RapidÓ

Código del producto: 32901763

Nombre del producto : CI0C7SB0FA

- Motor Inverter
- Wash & Dry 35'
- hOn App
- Ciclos automáticos
- Sensor de suciedad
- Sensor de carga
- Inicio diferido hasta 24 h
- 18 idiomas disponibles
- Rejillas plegables
- Clase C
- Media carga
- Lava hasta 10 servicios
- Apertura automática de puerta

220-240 V, 47 dB (A), 816 x 448 x 559 mm, 35 kg

Candy RapidÓ CI0C7SB0FA. Tipo de instalación: Completamente integrado, Talla del producto: Estrecho (45 cm), Panel de control: Negro. Número de cubiertos: 10 cubiertos, Clase de emisión de ruido: C, Nivel de ruido: 47 dB. Aplicaciones de control compatibles: hOn. Clase de eficiencia de energía: C, Consumo de agua por ciclo de lavado: 9 L, Consumo de energía por 100 ciclos: 59 kWh. Ancho: 448 mm, Profundidad: 559 mm, Altura: 816 mm




Diseño		Ergonomía	
Tipo de instalación *	Completamente integrado	Apertura automática de puerta	✓
Talla del producto *	Estrecho (45 cm)	Filtro antibacteriano	✓
Admite personalización de puertas *	✓	Patas ajustables	✓
Color de la puerta *	No aplicable	Vibrador	✓
Panel de control	Negro	Indicador de sal	✓
Tipo de control	Botones	Aplicaciones de control compatibles	hOn
Pantalla incorporada *	✓	Bluetooth	✓
Cestas de colocación regulable	superior	Wi-Fi controlado	✓
Altura ajustable de la canasta superior	✓		
Desempeño		Control de energía	
Nivel de ruido *	47 dB	Escala de eficiencia energética	De la A a la G
Sistema de secado	Condensación	Clase de eficiencia de energía *	C
Número de cubiertos *	10 cubiertos	Consumo de agua por ciclo de lavado *	9 L
Número de programas de lavado *	8	Consumo de energía por 100 ciclos *	59 kWh
Clase de emisión de ruido *	C	Voltaje de entrada AC	230 V
Programa automático	✓	Corriente	10 A
Número de ajustes de temperatura	7	Peso y dimensiones	
Temperatura máxima de suministro de agua caliente	60 °C	Profundidad	559 mm
Tiempo de ciclo *	185 min	Altura	816 mm
Programación diferida	✓	Peso	35 kg
Inicio diferido (mín.)	1 h	Ancho *	448 mm
Inicio retrasado	23 h	Características especiales	
Mitad de carga	✓	Tecnologías Candy (lavaplatos)	Automatic Door Opening, hOn App
Sensor de carga	✓	Empaquetado	
		Ancho del paquete	510 mm
		Profundidad del paquete	631 mm
		Altura del paquete	882 mm

Empaquetado

Peso del paquete

38 kg



6925777875597

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-MAY-2024. Prints or copies of Information are only valid on the printed Publication date